Supplementary Materials

Synthesis of heavy hydrocarbons at the core-mantle boundary

Anatoly B. Belonoshko[1,*], Timofiy Lukinov[1], Anders Rosengren[1,2], Taras Bryk[3] & Konstantin D. Litasov[4,5]

[1]*Condensed Matter Theory, Theoretical Physics, AlbaNova University Center, KTH Royal Institute of Technology, 106 91 Stockholm, Sweden*

[2]*Center for Quantum Materials, Nordita, Roslagstullsbacken 21, AlbaNova University Center, SE-106 91 Stockholm, Sweden*

[3]*Institute for Condensed Matter Physics of the National Academy of Sciences of Ukraine, 1 Svientsitskii Street, UA-79011 Lviv, Ukraine*

[4]*V. S. Sobolev Institute of Geology and Mineralogy, SB RAS, Novosibirsk, 630090, Russia*

[5]*Novosibirsk State University, Novosibirsk, 630090, Russia*

* To whom correspondence should be addressed. Email: anatoly@kth.se.

20 Figure S1. (Supplemental Data)

21

22 S1. Computed structure of water at the melting point (determined using the two-phase

23 method[40,41]) and ambient pressure compared to experiment[26] at T=298 K. The H_2O ice

24 melts at 450 K according to simulations (this is due to neglect of van der Waals forces

25 and zero-point   motion[24], both of these can be neglected at high pressure and

26 temperature). Note, that comparison of DFT-PBE water and real water at the room

27 temperature provides the impression that the DFT-PBE provides too high and sharp

28 peaks in comparison to experiment. This is simply because DFT-PBE water at 300 K

29 and 1 bar is metastable and supercooled – the melting T of the DFT-PBE water is

30 around 450 K as we obtained. Only when we compare both waters at their melting point

31 – that is in their corresponding field of stability – we get good agreement. In addition to

32   the excellent agreement of the experimental and calculated RDFs, we also obtain a self-

33   diffusion coefficient of about 2.3 cm^2/sec which is in very good agreement with

34   experiment. At the same time, simulations of water with the same approach at ambient

35   temperature lead to overstructuring and very low self-diffusion[43,44]. Our simulations of

36   water allow to quantify the errors of DFT-PBE and it is about 150 K. This is clearly

37   negligible in comparison to 4500 K that is the temperature at the core-mantle boundary.

38   The first peak of the calculated O-H and H-H RDF is due to the intra-molecular O-H

39   and H-H bonds. These bonds do not show up in experimental spectra. The agreement is

40   very good, almost within the experimental error bars. Since the precision of the method

41   improves with increase of temperature (zero point motion becomes less important) and

42   pressure (dispersion becomes increasingly weaker in comparison to repulsive forces),

43   we can rely on this method in our simulations performed under the extreme PT

44   conditions at the core-mantle boundary. While there are other approaches to treat water

45   ab initio, the method we have chosen provides sufficient precision for our purposes.

46